


Third Quarter 2008

Vol. 6, No. 3



HIV/AIDS Surveillance Program

M. Beth Scalco, LCSW MPA*HIV/AIDS Program Administrative Director***Amy Zapata, MPH***HIV/AIDS Surveillance Program Manager*Editor/Production:**Samuel Ramirez****William T. Robinson****Debbie Wendell**Data Management and Analysis:**Debbie Wendell, Ph.D.**, *Coordinator***Tania Bechtel**, *Data Manager***Joseph Foxhood**, *Information Systems Developer***George Stephens**, *Computer Technician***Josette Russell**, *Data Manager*Special Projects:**William T. Robinson, Ph.D.**, *Biostatistician***C. Greg Gaines, Ph.D.**, *Laboratory Surveillance Coordinator***Luke Cvitanovic, MS** *Incidence & Resistance Supervisor***Sam Ramirez, MPH**, *Epidemiologist/Incidence & Resistance Coordinator*Field Epidemiologists:**Betsy Shepard, PAC, MPH**, *Epidemiologist Supervisor***James Hubbard****Region 1****Cheryl Edney, BS MT(ASCP)****Regions 4, 5, 6****Connie Gordon****Regions 1, 3****Gayle Norris, MA****Regions 7, 8****Tanya Brown, RHIA****Region 2****Gale Terry, LPN****Regions 2, 9**

 TABLE OF CONTENTS

| Contents | Page |
|---|-------------|
| Surveillance Summary | 1 |
| Louisiana: Persons Living with HIV/AIDS | 2 |
| Persons Living with AIDS | 3 |
| Persons newly diagnosed with HIV/AIDS | 4 |
| Parish: Persons Living with HIV/AIDS | 5 |
| Persons Living with AIDS | 6 |
| Metro New Orleans: Persons Living with HIV/AIDS | 7 |
| Persons Living with AIDS | 8 |
| Persons newly diagnosed with HIV/AIDS | 9 |
| Region 1: Persons Living with HIV/AIDS | 10 |
| Persons Living with AIDS | 11 |
| Persons newly diagnosed with HIV/AIDS | 12 |
| Region 2: Persons Living with HIV/AIDS | 13 |
| Persons Living with AIDS | 14 |
| Persons newly diagnosed with HIV/AIDS | 15 |
| Region 3: Persons Living with HIV/AIDS | 16 |
| Persons Living with AIDS | 17 |
| Persons newly diagnosed with HIV/AIDS | 18 |
| Region 4: Persons Living with HIV/AIDS | 19 |
| Persons Living with AIDS | 20 |
| Persons newly diagnosed with HIV/AIDS | 21 |
| Region 5: Persons Living with HIV/AIDS | 22 |
| Persons Living with AIDS | 23 |
| Persons newly diagnosed with HIV/AIDS | 24 |
| Region 6: Persons Living with HIV/AIDS | 25 |
| Persons Living with AIDS | 26 |
| Persons newly diagnosed with HIV/AIDS | 27 |
| Region 7: Persons Living with HIV/AIDS | 28 |
| Persons Living with AIDS | 29 |
| Persons newly diagnosed with HIV/AIDS | 30 |
| Region 8: Persons Living with HIV/AIDS | 31 |
| Persons Living with AIDS | 32 |
| Persons newly diagnosed with HIV/AIDS | 33 |
| Region 9: Persons Living with HIV/AIDS | 34 |
| Persons Living with AIDS | 35 |
| Persons newly diagnosed with HIV/AIDS | 36 |

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of September 30, 2008¹.

- As of September 30, 2008, a cumulative total of 28,303 HIV/AIDS cases have been reported in Louisiana, including 303 pediatric cases.
- The cumulative number of deaths, among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through September 30, 2008 is 11,843, including 98 deaths among pediatric cases.
- A total of 16,227 persons are living with HIV/AIDS in Louisiana; of these individuals, 8,609 persons (53%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- Nationally, Louisiana ranked 5th highest in AIDS case rates and 12th in the number of AIDS cases diagnosed in 2006, according to the CDC 2006 HIV/AIDS Surveillance Report (Vol. 18).
- Baton Rouge ranked 4th for AIDS case rates among the largest metropolitan areas in the U.S. in 2006; New Orleans ranked 8th.
- In 2007, 1,151 new HIV cases were diagnosed in Louisiana. Of these cases, 30% (n=350) occurred in Region 1 (New Orleans) and 28% (n=322) occurred in Region 2 (Baton Rouge).
- In 2007, 812 new AIDS cases were diagnosed in Louisiana. Of these cases, 32% (n=263) occurred in Region 1 (New Orleans) and 27% (n=219) occurred in Region 2 (Baton Rouge).
- In Louisiana, 31% of new HIV cases and 31% of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2007, 72% of newly diagnosed HIV cases and 75% of newly diagnosed AIDS cases were among African Americans.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. More recent estimates indicate that as much as 71% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

**Persons Living with HIV/AIDS
Louisiana**

- 28303 cumulative cases have been detected in Louisiana,
including 303 pediatric cases.
- 11843 cumulative deaths among persons with HIV/AIDS have occurred in Louisiana,
including 98 pediatric deaths.
- 16227 persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: 7618
Persons living with AIDS: 8609

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|---------------------|--------------|----------------|------------------------|------------|--------------|--------------|----------------|
| <u>Current Age</u> | <u>Cases</u> | <u>Percent</u> | | | | | |
| 0 - 12 | 83 | 1 % | Black, Non-Hispanic | 6798 | 3910 | 10708 | 66 % |
| 13 - 19 | 151 | 1 % | White, Non-Hispanic | 4090 | 712 | 4802 | 30 % |
| 20 - 24 | 650 | 4 % | Hispanic | 452 | 101 | 553 | 3 % |
| 25 - 29 | 1308 | 8 % | Asian/Pacific Islander | 36 | 11 | 47 | <1 % |
| 30 - 34 | 1817 | 11 % | American Indian | 19 | 6 | 25 | <1 % |
| 35 - 39 | 2182 | 13 % | Unknown | 31 | 9 | 40 | <1 % |
| 40 - 44 | 2800 | 17 % | Multi-race | 37 | 15 | 52 | <1 % |
| 45 - 49 | 2921 | 18 % | Total | 11463 | 4764 | 16227 | 100 % |
| 50 - 54 | 2107 | 13 % | | | | | |
| 55 - 59 | 1193 | 7 % | | | | | |
| 60+ | 1015 | 6 % | | | | | |
| Total | 16227 | 100 % | | | | | |

| <u>Exposure Category</u> | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Cases with a reported risk: | | | | |
| Men who have sex with men | 4908 | 0 | 4908 | 47 % |
| Injection drug use | 1175 | 657 | 1832 | 18 % |
| Men who have sex with men and inject drugs | 861 | 0 | 861 | 8 % |
| Heterosexual contact | 810 | 1710 | 2520 | 24 % |
| Transfusion/Hemophilia | 70 | 43 | 113 | 1 % |
| Confirmed Other | 0 | 1 | 1 | <1 % |
| Perinatal | 91 | 85 | 176 | 2 % |
| Total | 7915 | 2496 | 10411 | 100 % |
| <i>No Identified Risk</i> | 3548 | 2268 | 5816 | |

**Persons Living with AIDS
Louisiana**

- 19044 cumulative AIDS cases have been diagnosed in Louisiana, including 140 pediatric cases.
- 8609 persons are currently living with AIDS in Louisiana.

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 10 | <1 % |
| 13 - 19 | 48 | 1 % |
| 20 - 24 | 159 | 2 % |
| 25 - 29 | 426 | 5 % |
| 30 - 34 | 781 | 9 % |
| 35 - 39 | 1121 | 13 % |
| 40 - 44 | 1625 | 19 % |
| 45 - 49 | 1756 | 20 % |
| 50 - 54 | 1294 | 15 % |
| 55 - 59 | 751 | 9 % |
| 60+ | 638 | 7 % |
| Total | 8609 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|-------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 3688 | 1859 | 5547 | 64 % |
| White, Non-Hispanic | 2362 | 327 | 2689 | 31 % |
| Hispanic | 246 | 52 | 298 | 3 % |
| Asian/Pacific Islander | 17 | 5 | 22 | <1 % |
| American Indian | 9 | 3 | 12 | <1 % |
| Unknown | 7 | 1 | 8 | <1 % |
| Multi-race | 24 | 9 | 33 | <1 % |
| Total | 6353 | 2256 | 8609 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-------------|--------------|--------------|----------------|
| Men who have sex with men | 2803 | 0 | 2803 | 47 % |
| Injection drug use | 755 | 375 | 1130 | 19 % |
| Men who have sex with men and inject drugs | 567 | 0 | 567 | 9 % |
| Heterosexual contact | 465 | 901 | 1366 | 23 % |
| Transfusion/Hemophilia | 45 | 29 | 74 | 1 % |
| Perinatal | 26 | 28 | 54 | 1 % |
| Total | 4661 | 1333 | 5994 | 100 % |
| <i>No Identified Risk</i> | <i>1692</i> | <i>923</i> | <i>2615</i> | |

Persons Newly Diagnosed with HIV/AIDS
Louisiana

HIV CASES DIAGNOSED January - December 2007

- 1151 persons were newly diagnosed with HIV in Louisiana.

| Gender | Cases | Percent | Race/Ethnicity | Cases | Percent |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men | 798 | 69 % | Black, Non-Hispanic | 828 | 72 % |
| Women | 353 | 31 % | White, Non-Hispanic | 251 | 22 % |
| Total | 1151 | 100 % | Hispanic | 53 | 5 % |
| | | | Asian/Pacific Islander | 4 | <1 % |
| | | | American Indian | 3 | <1 % |
| | | | Unknown | 7 | 1 % |
| | | | Multi-race | 5 | <1 % |
| | | | Total | 1151 | 100 % |

| Age at Detection | Cases | Percent | Cases with a reported risk: | Cases | Percent |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 0 - 12 | 4 | <1 % | Men who have sex with men | 330 | 57 % |
| 13 - 24 | 243 | 21 % | Injection drug use | 59 | 10 % |
| 25 - 34 | 319 | 28 % | Men who have sex with men and inject drugs | 20 | 3 % |
| 35 - 44 | 324 | 28 % | Heterosexual contact | 162 | 28 % |
| 45+ | 261 | 23 % | Perinatal | 4 | 1 % |
| Total | 1151 | 100 % | Total | 575 | 100 % |
| | | | <i>No Identified Risk</i> | <i>576</i> | |

AIDS CASES DIAGNOSED January - December 2007

- 812 persons were newly diagnosed with AIDS in Louisiana.

| Gender | Cases | Percent | Race/Ethnicity | Cases | Percent |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men | 562 | 69 % | Black, Non-Hispanic | 611 | 75 % |
| Women | 250 | 31 % | White, Non-Hispanic | 155 | 19 % |
| Total | 812 | 100 % | Hispanic | 38 | 5 % |
| | | | Asian/Pacific Islander | 2 | <1 % |
| | | | American Indian | 2 | <1 % |
| | | | Multi-race | 4 | <1 % |
| | | | Total | 812 | 100 % |

| Age at Diagnosis | Cases | Percent | Cases with a reported risk: | Cases | Percent |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24 | 85 | 10 % | Men who have sex with men | 212 | 46 % |
| 25 - 34 | 219 | 27 % | Injection drug use | 72 | 16 % |
| 35 - 44 | 258 | 32 % | Men who have sex with men and inject drugs | 25 | 5 % |
| 45+ | 250 | 31 % | Heterosexual contact | 145 | 32 % |
| Total | 812 | 100 % | Transfusion/Hemophilia | 3 | 1 % |
| | | | Perinatal | 2 | <1 % |
| | | | Total | 459 | 100 % |
| | | | <i>No Identified Risk</i> | <i>353</i> | |

Persons Living with HIV/AIDS

Third Quarter 2008

| <u>Parish</u> | <u>Living Cases</u> | <u>Parish</u> | <u>Living Cases</u> |
|------------------|---------------------|----------------------|---------------------|
| Acadia | 89 | Sabine | 21 |
| Allen | 236 | St. Bernard | 101 |
| Ascension | 147 | St. Charles | 79 |
| Assumption | 31 | St. Helena | 19 |
| Avoyelles | 205 | St. James | 53 |
| Beauregard | 36 | St. John the Baptist | 104 |
| Bienville | 28 | St. Landry | 215 |
| Bossier | 166 | St. Martin | 89 |
| Caddo | 853 | St. Mary | 70 |
| Calcasieu | 546 | St. Tammany | 325 |
| Caldwell | 56 | Tangipahoa | 224 |
| Cameron | 4 | Tensas | 33 |
| Catahoula | 25 | Terrebonne | 166 |
| Claiborne | 79 | Union | 40 |
| Concordia | 34 | Vermilion | 77 |
| De Soto | 55 | Vernon | 42 |
| East Baton Rouge | 3032 | Washington | 149 |
| East Carroll | 40 | Webster | 45 |
| East Feliciana | 110 | West Baton Rouge | 102 |
| Evangeline | 55 | West Carroll | 9 |
| Franklin | 17 | West Feliciana | 148 |
| Grant | 26 | Winn | 89 |
| Iberia | 102 | | |
| Iberville | 264 | | |
| Jackson | 32 | | |
| Jefferson | 1473 | | |
| Jefferson Davis | 49 | | |
| La Salle | 15 | | |
| Lafayette | 560 | | |
| Lafourche | 98 | | |
| Lincoln | 49 | | |
| Livingston | 143 | | |
| Madison | 57 | | |
| Morehouse | 56 | | |
| Natchitoches | 85 | | |
| Orleans | 4244 | | |
| Ouachita | 448 | | |
| Plaquemines | 29 | | |
| Pointe Coupee | 48 | | |
| Rapides | 359 | | |
| Red River | 9 | | |
| Richland | 37 | | |
| | | Total | 16227 |

Persons Living with AIDS

Third Quarter 2008

| <u>Parish</u> | <u>Living Cases</u> | <u>Parish</u> | <u>Living Cases</u> |
|------------------|---------------------|----------------------|---------------------|
| Acadia | 55 | Sabine | 16 |
| Allen | 112 | St. Bernard | 59 |
| Ascension | 76 | St. Charles | 43 |
| Assumption | 22 | St. Helena | 9 |
| Avoyelles | 106 | St. James | 28 |
| Beauregard | 22 | St. John the Baptist | 65 |
| Bienville | 14 | St. Landry | 123 |
| Bossier | 91 | St. Martin | 49 |
| Caddo | 466 | St. Mary | 44 |
| Calcasieu | 314 | St. Tammany | 191 |
| Caldwell | 25 | Tangipahoa | 126 |
| Cameron | 2 | Tensas | 16 |
| Catahoula | 15 | Terrebonne | 95 |
| Claiborne | 45 | Union | 27 |
| Concordia | 21 | Vermilion | 49 |
| De Soto | 32 | Vernon | 22 |
| East Baton Rouge | 1506 | Washington | 87 |
| East Carroll | 23 | Webster | 23 |
| East Feliciana | 59 | West Baton Rouge | 62 |
| Evangeline | 35 | West Carroll | 7 |
| Franklin | 9 | West Feliciana | 90 |
| Grant | 16 | Winn | 41 |
| Iberia | 56 | | |
| Iberville | 146 | | |
| Jackson | 17 | | |
| Jefferson | 803 | | |
| Jefferson Davis | 23 | | |
| La Salle | 10 | | |
| Lafayette | 292 | | |
| Lafourche | 62 | | |
| Lincoln | 24 | | |
| Livingston | 79 | | |
| Madison | 24 | | |
| Morehouse | 25 | | |
| Natchitoches | 47 | | |
| Orleans | 2186 | | |
| Ouachita | 229 | | |
| Plaquemines | 18 | | |
| Pointe Coupee | 32 | | |
| Rapides | 170 | | |
| Red River | 6 | | |
| Richland | 22 | | |
| | | Total | 8609 |

Persons Living with HIV/AIDS**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- 13736 cumulative cases have been detected in the New Orleans MSA, including 145 pediatric cases.
- 5826 cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including 49 pediatric deaths
- 6408 persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: 3015
Persons living with AIDS: 3393

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 25 | <1 % |
| 13 - 19 | 50 | 1 % |
| 20 - 24 | 221 | 3 % |
| 25 - 29 | 415 | 6 % |
| 30 - 34 | 653 | 10 % |
| 35 - 39 | 849 | 13 % |
| 40 - 44 | 1065 | 17 % |
| 45 - 49 | 1218 | 19 % |
| 50 - 54 | 896 | 14 % |
| 55 - 59 | 523 | 8 % |
| 60+ | 493 | 8 % |
| Total | 6408 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|-------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 2362 | 1343 | 3705 | 58 % |
| White, Non-Hispanic | 2085 | 238 | 2323 | 36 % |
| Hispanic | 232 | 70 | 302 | 5 % |
| Asian/Pacific Islander | 22 | 7 | 29 | <1 % |
| American Indian | 6 | 1 | 7 | <1 % |
| Unknown | 21 | 5 | 26 | <1 % |
| Multi-race | 12 | 4 | 16 | <1 % |
| Total | 4740 | 1668 | 6408 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-------------|--------------|--------------|----------------|
| Men who have sex with men | 2315 | 0 | 2315 | 56 % |
| Injection drug use | 348 | 221 | 569 | 14 % |
| Men who have sex with men and inject drugs | 322 | 0 | 322 | 8 % |
| Heterosexual contact | 232 | 572 | 804 | 20 % |
| Transfusion/Hemophilia | 32 | 19 | 51 | 1 % |
| Perinatal | 28 | 31 | 59 | 1 % |
| Total | 3277 | 843 | 4120 | 100 % |
| <i>No Identified Risk</i> | <i>1463</i> | <i>825</i> | <i>2288</i> | |

Persons Living with AIDS**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- 9399 cumulative AIDS cases have been diagnosed in the New Orleans MSA, including 69 pediatric cases.
- 3393 persons are currently living with AIDS in the New Orleans MSA.

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 3 | <1 % |
| 13 - 19 | 20 | 1 % |
| 20 - 24 | 53 | 2 % |
| 25 - 29 | 133 | 4 % |
| 30 - 34 | 261 | 8 % |
| 35 - 39 | 419 | 12 % |
| 40 - 44 | 604 | 18 % |
| 45 - 49 | 740 | 22 % |
| 50 - 54 | 538 | 16 % |
| 55 - 59 | 316 | 9 % |
| 60+ | 306 | 9 % |
| Total | 3393 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|-------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 1246 | 650 | 1896 | 56 % |
| White, Non-Hispanic | 1175 | 106 | 1281 | 38 % |
| Hispanic | 143 | 38 | 181 | 5 % |
| Asian/Pacific Islander | 10 | 4 | 14 | <1 % |
| American Indian | 1 | 1 | 2 | <1 % |
| Unknown | 7 | 1 | 8 | <1 % |
| Multi-race | 8 | 3 | 11 | <1 % |
| Total | 2590 | 803 | 3393 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-------------|--------------|--------------|----------------|
| Men who have sex with men | 1323 | 0 | 1323 | 56 % |
| Injection drug use | 212 | 131 | 343 | 14 % |
| Men who have sex with men and inject drugs | 204 | 0 | 204 | 9 % |
| Heterosexual contact | 144 | 310 | 454 | 19 % |
| Transfusion/Hemophilia | 21 | 11 | 32 | 1 % |
| Perinatal | 10 | 11 | 21 | 1 % |
| Total | 1914 | 463 | 2377 | 100 % |
| <i>No Identified Risk</i> | <i>676</i> | <i>340</i> | <i>1016</i> | |

Persons Newly Diagnosed with HIV/AIDS**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

HIV CASES DIAGNOSED January - December 2007

- 382 persons were newly diagnosed with HIV in the New Orleans MSA.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|----------------------|--------------|----------------|------------------------------|--------------|----------------|
| Men | 286 | 75 % | Black, Non-Hispanic | 241 | 63 % |
| Women | 96 | 25 % | White, Non-Hispanic | 100 | 26 % |
| Total | 382 | 100 % | Hispanic | 35 | 9 % |
| | | | Asian/Pacific Islander | 2 | 1 % |
| | | | American Indian | 1 | <1 % |
| | | | Unknown | 3 | 1 % |
| | | | Total | 382 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|--------------------------------|--------------|----------------|--|--------------|----------------|
| 0 - 12 | 2 | 1 % | Men who have sex with men | 133 | 64 % |
| 13 - 24 | 67 | 18 % | Injection drug use | 14 | 7 % |
| 25 - 34 | 118 | 31 % | Men who have sex with men and inject drugs | 8 | 4 % |
| 35 - 44 | 105 | 27 % | Heterosexual contact | 50 | 24 % |
| 45+ | 90 | 24 % | Perinatal | 2 | 1 % |
| Total | 382 | 100 % | Total | 207 | 100 % |
| | | | <i>No Identified Risk</i> | <i>175</i> | |

AIDS CASES DIAGNOSED January - December 2007

- 296 persons were newly diagnosed with AIDS in the New Orleans MSA.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|----------------------|--------------|----------------|------------------------------|--------------|----------------|
| Men | 220 | 74 % | Black, Non-Hispanic | 198 | 67 % |
| Women | 76 | 26 % | White, Non-Hispanic | 71 | 24 % |
| Total | 296 | 100 % | Hispanic | 26 | 9 % |
| | | | Asian/Pacific Islander | 1 | <1 % |
| | | | Total | 296 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|--------------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24 | 24 | 8 % | Men who have sex with men | 93 | 53 % |
| 25 - 34 | 84 | 28 % | Injection drug use | 23 | 13 % |
| 35 - 44 | 97 | 33 % | Men who have sex with men and inject drugs | 9 | 5 % |
| 45+ | 91 | 31 % | Heterosexual contact | 49 | 28 % |
| Total | 296 | 100 % | Total | 174 | 100 % |
| | | | <i>No Identified Risk</i> | <i>122</i> | |

Persons Living with HIV/AIDS**Region 1: New Orleans Region**

- 12956 cumulative cases have been detected in Region 1, including 130 pediatric cases.
- 5487 cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including 45 pediatric deaths.
- 5847 persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: 2781
Persons living with AIDS: 3066

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 18 | <1 % |
| 13 - 19 | 43 | 1 % |
| 20 - 24 | 205 | 4 % |
| 25 - 29 | 374 | 6 % |
| 30 - 34 | 595 | 10 % |
| 35 - 39 | 765 | 13 % |
| 40 - 44 | 960 | 16 % |
| 45 - 49 | 1116 | 19 % |
| 50 - 54 | 826 | 14 % |
| 55 - 59 | 490 | 8 % |
| 60+ | 455 | 8 % |
| Total | 5847 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|-------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 2207 | 1236 | 3443 | 59 % |
| White, Non-Hispanic | 1858 | 188 | 2046 | 35 % |
| Hispanic | 217 | 67 | 284 | 5 % |
| Asian/Pacific Islander | 22 | 7 | 29 | <1 % |
| American Indian | 6 | 1 | 7 | <1 % |
| Unknown | 21 | 4 | 25 | <1 % |
| Multi-race | 9 | 4 | 13 | <1 % |
| Total | 4340 | 1507 | 5847 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-------------|--------------|--------------|----------------|
| Men who have sex with men | 2120 | 0 | 2120 | 56 % |
| Injection drug use | 319 | 204 | 523 | 14 % |
| Men who have sex with men and inject drugs | 307 | 0 | 307 | 8 % |
| Heterosexual contact | 203 | 514 | 717 | 19 % |
| Transfusion/Hemophilia | 28 | 17 | 45 | 1 % |
| Perinatal | 21 | 23 | 44 | 1 % |
| Total | 2998 | 758 | 3756 | 100 % |
| <i>No Identified Risk</i> | <i>1342</i> | <i>749</i> | <i>2091</i> | |

Persons Living with AIDS
Region 1: New Orleans Region

- 8832 cumulative AIDS cases have been diagnosed in Region 1, including 62 pediatric cases.
- 3066 persons are currently living with AIDS in Region 1.

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|-------|---------|------------------------|------|-------|-------|---------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 0 - 12 | 3 | <1 % | Black, Non-Hispanic | 1145 | 597 | 1742 | 57 % |
| 13 - 19 | 14 | <1 % | White, Non-Hispanic | 1038 | 82 | 1120 | 37 % |
| 20 - 24 | 50 | 2 % | Hispanic | 134 | 37 | 171 | 6 % |
| 25 - 29 | 117 | 4 % | Asian/Pacific Islander | 10 | 4 | 14 | <1 % |
| 30 - 34 | 232 | 8 % | American Indian | 1 | 1 | 2 | <1 % |
| 35 - 39 | 375 | 12 % | Unknown | 7 | 1 | 8 | <1 % |
| 40 - 44 | 539 | 18 % | Multi-race | 6 | 3 | 9 | <1 % |
| 45 - 49 | 669 | 22 % | Total | 2341 | 725 | 3066 | 100 % |
| 50 - 54 | 494 | 16 % | | | | | |
| 55 - 59 | 294 | 10 % | | | | | |
| 60+ | 279 | 9 % | | | | | |
| Total | 3066 | 100 % | | | | | |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------|-------|-------|---------|
| Men who have sex with men | 1208 | 0 | 1208 | 56 % |
| Injection drug use | 191 | 121 | 312 | 14 % |
| Men who have sex with men and inject drugs | 191 | 0 | 191 | 9 % |
| Heterosexual contact | 123 | 277 | 400 | 19 % |
| Transfusion/Hemophilia | 18 | 9 | 27 | 1 % |
| Perinatal | 7 | 8 | 15 | 1 % |
| Total | 1738 | 415 | 2153 | 100 % |
| <i>No Identified Risk</i> | 603 | 310 | 913 | |

Persons Newly Diagnosed with HIV/AIDS

Region 1: New Orleans Region

HIV CASES DIAGNOSED January - December 2007

- 350 persons were newly diagnosed with HIV in Region 1.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|------------|--------------|------------------------|------------|--------------|
| Men | 261 | 75 % | Black, Non-Hispanic | 222 | 63 % |
| Women | 89 | 25 % | White, Non-Hispanic | 88 | 25 % |
| Total | 350 | 100 % | Hispanic | 34 | 10 % |
| | | | Asian/Pacific Islander | 2 | 1 % |
| | | | American Indian | 1 | <1 % |
| | | | Unknown | 3 | 1 % |
| | | | Total | 350 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|------------|--------------|--|------------|--------------|
| 0 - 12 | 2 | 1 % | Men who have sex with men | 128 | 65 % |
| 13 - 24 | 63 | 18 % | Injection drug use | 13 | 7 % |
| 25 - 34 | 111 | 32 % | Men who have sex with men and inject drugs | 8 | 4 % |
| 35 - 44 | 90 | 26 % | Heterosexual contact | 45 | 23 % |
| 45+ | 84 | 24 % | Perinatal | 2 | 1 % |
| Total | 350 | 100 % | Total | 196 | 100 % |
| | | | <i>No Identified Risk</i> | <i>154</i> | |

AIDS CASES DIAGNOSED January - December 2007

- 263 persons were newly diagnosed with AIDS in Region 1.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|------------|--------------|------------------------|------------|--------------|
| Men | 193 | 73 % | Black, Non-Hispanic | 178 | 68 % |
| Women | 70 | 27 % | White, Non-Hispanic | 59 | 22 % |
| Total | 263 | 100 % | Hispanic | 25 | 10 % |
| | | | Asian/Pacific Islander | 1 | <1 % |
| | | | Total | 263 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|------------|--------------|--|------------|--------------|
| 13 - 24 | 21 | 8 % | Men who have sex with men | 87 | 53 % |
| 25 - 34 | 76 | 29 % | Injection drug use | 22 | 13 % |
| 35 - 44 | 84 | 32 % | Men who have sex with men and inject drugs | 9 | 5 % |
| 45+ | 82 | 31 % | Heterosexual contact | 46 | 28 % |
| Total | 263 | 100 % | Total | 164 | 100 % |
| | | | <i>No Identified Risk</i> | <i>99</i> | |

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region**

- 6064 cumulative cases have been detected in Region 2, including 63 pediatric cases.
- 2523 cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including 14 pediatric deaths.
- 3851 persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: 1880
Persons living with AIDS: 1971

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 29 | 1 % |
| 13 - 19 | 42 | 1 % |
| 20 - 24 | 182 | 5 % |
| 25 - 29 | 378 | 10 % |
| 30 - 34 | 483 | 13 % |
| 35 - 39 | 518 | 13 % |
| 40 - 44 | 621 | 16 % |
| 45 - 49 | 643 | 17 % |
| 50 - 54 | 454 | 12 % |
| 55 - 59 | 285 | 7 % |
| 60+ | 216 | 6 % |
| Total | 3851 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|-------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 1863 | 1337 | 3200 | 83 % |
| White, Non-Hispanic | 484 | 105 | 589 | 15 % |
| Hispanic | 30 | 12 | 42 | 1 % |
| Asian/Pacific Islander | 3 | 1 | 4 | <1 % |
| American Indian | 2 | 0 | 2 | <1 % |
| Unknown | 5 | 1 | 6 | <1 % |
| Multi-race | 6 | 2 | 8 | <1 % |
| Total | 2393 | 1458 | 3851 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-------------|--------------|--------------|----------------|
| Men who have sex with men | 734 | 0 | 734 | 33 % |
| Injection drug use | 383 | 223 | 606 | 27 % |
| Men who have sex with men and inject drugs | 160 | 0 | 160 | 7 % |
| Heterosexual contact | 216 | 471 | 687 | 30 % |
| Transfusion/Hemophilia | 8 | 14 | 22 | 1 % |
| Perinatal | 27 | 22 | 49 | 2 % |
| Total | 1528 | 730 | 2258 | 100 % |
| <i>No Identified Risk</i> | <i>865</i> | <i>728</i> | <i>1593</i> | |

Persons Living with AIDS
Region 2: Baton Rouge Region

- 4006 cumulative AIDS cases have been diagnosed in Region 2, including 22 pediatric cases.
- 1971 persons are currently living with AIDS in Region 2.

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 1 | <1 % |
| 13 - 19 | 14 | 1 % |
| 20 - 24 | 46 | 2 % |
| 25 - 29 | 123 | 6 % |
| 30 - 34 | 210 | 11 % |
| 35 - 39 | 263 | 13 % |
| 40 - 44 | 349 | 18 % |
| 45 - 49 | 373 | 19 % |
| 50 - 54 | 271 | 14 % |
| 55 - 59 | 178 | 9 % |
| 60+ | 143 | 7 % |
| Total | 1971 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 1002 | 632 | 1634 | 83 % |
| White, Non-Hispanic | 265 | 39 | 304 | 15 % |
| Hispanic | 16 | 7 | 23 | 1 % |
| Asian/Pacific Islander | 2 | 0 | 2 | <1 % |
| American Indian | 2 | 0 | 2 | <1 % |
| Multi-race | 5 | 1 | 6 | <1 % |
| Total | 1292 | 679 | 1971 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 396 | 0 | 396 | 31 % |
| Injection drug use | 265 | 122 | 387 | 30 % |
| Men who have sex with men and inject drugs | 110 | 0 | 110 | 9 % |
| Heterosexual contact | 117 | 250 | 367 | 29 % |
| Transfusion/Hemophilia | 4 | 11 | 15 | 1 % |
| Perinatal | 6 | 5 | 11 | 1 % |
| Total | 898 | 388 | 1286 | 100 % |
| <i>No Identified Risk</i> | 394 | 291 | 685 | |

Persons Newly Diagnosed with HIV/AIDS

Region 2: Baton Rouge Region

HIV CASES DIAGNOSED January - December 2007

- 322 persons were newly diagnosed with HIV in Region 2.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|------------|--------------|-----------------------|------------|--------------|
| Men | 196 | 61 % | Black, Non-Hispanic | 266 | 83 % |
| Women | 126 | 39 % | White, Non-Hispanic | 47 | 15 % |
| Total | 322 | 100 % | Hispanic | 4 | 1 % |
| | | | American Indian | 1 | <1 % |
| | | | Unknown | 2 | 1 % |
| | | | Multi-race | 2 | 1 % |
| | | | Total | 322 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|------------|--------------|--|------------|--------------|
| 0 - 12 | 2 | 1 % | Men who have sex with men | 56 | 40 % |
| 13 - 24 | 78 | 24 % | Injection drug use | 25 | 18 % |
| 25 - 34 | 85 | 26 % | Men who have sex with men and inject drugs | 6 | 4 % |
| 35 - 44 | 88 | 27 % | Heterosexual contact | 52 | 37 % |
| 45+ | 69 | 21 % | Perinatal | 2 | 1 % |
| Total | 322 | 100 % | Total | 141 | 100 % |
| | | | <i>No Identified Risk</i> | <i>181</i> | |

AIDS CASES DIAGNOSED January - December 2007

- 219 persons were newly diagnosed with AIDS in Region 2.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|------------|--------------|-----------------------|------------|--------------|
| Men | 130 | 59 % | Black, Non-Hispanic | 191 | 87 % |
| Women | 89 | 41 % | White, Non-Hispanic | 22 | 10 % |
| Total | 219 | 100 % | Hispanic | 2 | 1 % |
| | | | American Indian | 2 | 1 % |
| | | | Multi-race | 2 | 1 % |
| | | | Total | 219 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|------------|--------------|--|------------|--------------|
| 13 - 24 | 24 | 11 % | Men who have sex with men | 34 | 28 % |
| 25 - 34 | 58 | 26 % | Injection drug use | 36 | 30 % |
| 35 - 44 | 72 | 33 % | Men who have sex with men and inject drugs | 7 | 6 % |
| 45+ | 65 | 30 % | Heterosexual contact | 40 | 33 % |
| | | | Transfusion/Hemophilia | 1 | 1 % |
| Total | 219 | 100 % | Perinatal | 2 | 2 % |
| | | | Total | 120 | 100 % |
| | | | <i>No Identified Risk</i> | <i>99</i> | |

Persons Living with HIV/AIDS**Region 3: Houma Region**

- 889 cumulative cases have been detected in Region 3, including 16 pediatric cases.
- 419 cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including 7 pediatric deaths.
- 601 persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: 242
Persons living with AIDS: 359

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 5 | 1 % |
| 13 - 19 | 8 | 1 % |
| 20 - 24 | 28 | 5 % |
| 25 - 29 | 56 | 9 % |
| 30 - 34 | 65 | 11 % |
| 35 - 39 | 75 | 12 % |
| 40 - 44 | 115 | 19 % |
| 45 - 49 | 104 | 17 % |
| 50 - 54 | 75 | 12 % |
| 55 - 59 | 35 | 6 % |
| 60+ | 35 | 6 % |
| Total | 601 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 200 | 132 | 332 | 55 % |
| White, Non-Hispanic | 198 | 41 | 239 | 40 % |
| Hispanic | 13 | 5 | 18 | 3 % |
| Asian/Pacific Islander | 2 | 1 | 3 | <1 % |
| American Indian | 3 | 2 | 5 | 1 % |
| Unknown | 0 | 1 | 1 | <1 % |
| Multi-race | 2 | 1 | 3 | <1 % |
| Total | 418 | 183 | 601 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 206 | 0 | 206 | 51 % |
| Injection drug use | 41 | 20 | 61 | 15 % |
| Men who have sex with men and inject drugs | 14 | 0 | 14 | 3 % |
| Heterosexual contact | 34 | 72 | 106 | 26 % |
| Transfusion/Hemophilia | 2 | 1 | 3 | 1 % |
| Perinatal | 6 | 8 | 14 | 3 % |
| Total | 303 | 101 | 404 | 100 % |
| <i>No Identified Risk</i> | <i>115</i> | <i>82</i> | <i>197</i> | |

Persons Living with AIDS**Region 3: Houma Region**

- 659 cumulative AIDS cases have been diagnosed in Region 3, including 8 pediatric cases.
- 359 persons are currently living with AIDS in Region 3.

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 13 - 19 | 5 | 1 % |
| 20 - 24 | 6 | 2 % |
| 25 - 29 | 26 | 7 % |
| 30 - 34 | 29 | 8 % |
| 35 - 39 | 37 | 10 % |
| 40 - 44 | 74 | 21 % |
| 45 - 49 | 74 | 21 % |
| 50 - 54 | 57 | 16 % |
| 55 - 59 | 25 | 7 % |
| 60+ | 26 | 7 % |
| Total | 359 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 130 | 72 | 202 | 56 % |
| White, Non-Hispanic | 113 | 23 | 136 | 38 % |
| Hispanic | 9 | 2 | 11 | 3 % |
| Asian/Pacific Islander | 1 | 1 | 2 | 1 % |
| American Indian | 3 | 2 | 5 | 1 % |
| Multi-race | 2 | 1 | 3 | 1 % |
| Total | 258 | 101 | 359 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 129 | 0 | 129 | 52 % |
| Injection drug use | 26 | 15 | 41 | 17 % |
| Men who have sex with men and inject drugs | 9 | 0 | 9 | 4 % |
| Heterosexual contact | 23 | 38 | 61 | 25 % |
| Transfusion/Hemophilia | 1 | 1 | 2 | 1 % |
| Perinatal | 2 | 4 | 6 | 2 % |
| Total | 190 | 58 | 248 | 100 % |
| <i>No Identified Risk</i> | <i>68</i> | <i>43</i> | <i>111</i> | |

Persons Newly Diagnosed with HIV/AIDS

Region 3: Houma Region

HIV CASES DIAGNOSED January - December 2007

- 45 persons were newly diagnosed with HIV in Region 3.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 32 | 71 % | Black, Non-Hispanic | 27 | 60 % |
| Women | 13 | 29 % | White, Non-Hispanic | 14 | 31 % |
| Total | 45 | 100 % | Hispanic | 4 | 9 % |
| | | | Total | 45 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|------------------------------------|-------|---------|
| 13 - 24 | 12 | 27 % | Men who have sex with men | 10 | 53 % |
| 25 - 34 | 8 | 18 % | Injection drug use | 3 | 16 % |
| 35 - 44 | 18 | 40 % | Heterosexual contact | 6 | 32 % |
| 45+ | 7 | 16 % | Total | 19 | 100 % |
| Total | 45 | 100 % | <i>No Identified Risk</i> | 26 | |

AIDS CASES DIAGNOSED January - December 2007

- 31 persons were newly diagnosed with AIDS in Region 3.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 24 | 77 % | Black, Non-Hispanic | 22 | 71 % |
| Women | 7 | 23 % | White, Non-Hispanic | 6 | 19 % |
| Total | 31 | 100 % | Hispanic | 3 | 10 % |
| | | | Total | 31 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|--|-------|---------|
| 13 - 24 | 3 | 10 % | Men who have sex with men | 6 | 55 % |
| 25 - 34 | 7 | 23 % | Men who have sex with men and inject drugs | 1 | 9 % |
| 35 - 44 | 13 | 42 % | Heterosexual contact | 4 | 36 % |
| 45+ | 8 | 26 % | Total | 11 | 100 % |
| Total | 31 | 100 % | <i>No Identified Risk</i> | 20 | |

Persons Living with HIV/AIDS**Region 4: Lafayette Region**

- 1751 cumulative cases have been detected in Region 4, including 16 pediatric cases.
- 789 cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including 9 pediatric deaths.
- 1187 persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: 528
Persons living with AIDS: 659

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 6 | 1 % |
| 13 - 19 | 6 | 1 % |
| 20 - 24 | 38 | 3 % |
| 25 - 29 | 87 | 7 % |
| 30 - 34 | 108 | 9 % |
| 35 - 39 | 143 | 12 % |
| 40 - 44 | 251 | 21 % |
| 45 - 49 | 249 | 21 % |
| 50 - 54 | 153 | 13 % |
| 55 - 59 | 83 | 7 % |
| 60+ | 63 | 5 % |
| Total | 1187 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 460 | 207 | 667 | 56 % |
| White, Non-Hispanic | 381 | 82 | 463 | 39 % |
| Hispanic | 39 | 2 | 41 | 3 % |
| Asian/Pacific Islander | 0 | 2 | 2 | <1 % |
| American Indian | 1 | 1 | 2 | <1 % |
| Unknown | 3 | 0 | 3 | <1 % |
| Multi-race | 6 | 3 | 9 | 1 % |
| Total | 890 | 297 | 1187 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 365 | 0 | 365 | 51 % |
| Injection drug use | 73 | 32 | 105 | 15 % |
| Men who have sex with men and inject drugs | 50 | 0 | 50 | 7 % |
| Heterosexual contact | 54 | 123 | 177 | 25 % |
| Transfusion/Hemophilia | 5 | 1 | 6 | 1 % |
| Confirmed Other | 0 | 1 | 1 | <1 % |
| Perinatal | 6 | 6 | 12 | 2 % |
| Total | 553 | 163 | 716 | 100 % |
| <i>No Identified Risk</i> | <i>337</i> | <i>134</i> | <i>471</i> | |

**Persons Living with AIDS
Region 4: Lafayette Region**

- 1181 cumulative AIDS cases have been diagnosed in Region 4, including 9 pediatric cases.
- 659 persons are currently living with AIDS in Region 4.

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|-------|---------|-----------------------|-----|-------|-------|---------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 0 - 12 | 2 | <1 % | Black, Non-Hispanic | 253 | 109 | 362 | 55 % |
| 20 - 24 | 11 | 2 % | White, Non-Hispanic | 240 | 34 | 274 | 42 % |
| 25 - 29 | 31 | 5 % | Hispanic | 17 | 0 | 17 | 3 % |
| 30 - 34 | 58 | 9 % | Multi-race | 4 | 2 | 6 | 1 % |
| 35 - 39 | 74 | 11 % | Total | 514 | 145 | 659 | 100 % |
| 40 - 44 | 153 | 23 % | | | | | |
| 45 - 49 | 145 | 22 % | | | | | |
| 50 - 54 | 92 | 14 % | | | | | |
| 55 - 59 | 58 | 9 % | | | | | |
| 60+ | 35 | 5 % | | | | | |
| Total | 659 | 100 % | | | | | |

| <u>Exposure Category</u> | | | | |
|--|-----|-------|-------|---------|
| Cases with a reported risk: | Men | Women | Total | Percent |
| Men who have sex with men | 228 | 0 | 228 | 53 % |
| Injection drug use | 51 | 14 | 65 | 15 % |
| Men who have sex with men and inject drugs | 35 | 0 | 35 | 8 % |
| Heterosexual contact | 32 | 67 | 99 | 23 % |
| Transfusion/Hemophilia | 3 | 1 | 4 | 1 % |
| Perinatal | 0 | 3 | 3 | 1 % |
| Total | 349 | 85 | 434 | 100 % |
| <i>No Identified Risk</i> | 165 | 60 | 225 | |

Persons Newly Diagnosed with HIV/AIDS

Region 4: Lafayette Region

HIV CASES DIAGNOSED January - December 2007

- 75 persons were newly diagnosed with HIV in Region 4.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-----------|--------------|-----------------------|-----------|--------------|
| Men | 61 | 81 % | Black, Non-Hispanic | 43 | 57 % |
| Women | 14 | 19 % | White, Non-Hispanic | 27 | 36 % |
| Total | 75 | 100 % | Hispanic | 4 | 5 % |
| | | | Unknown | 1 | 1 % |
| | | | Total | 75 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-----------|--------------|------------------------------------|-----------|--------------|
| 13 - 24 | 9 | 12 % | Men who have sex with men | 28 | 72 % |
| 25 - 34 | 20 | 27 % | Injection drug use | 4 | 10 % |
| 35 - 44 | 21 | 28 % | Heterosexual contact | 7 | 18 % |
| 45+ | 25 | 33 % | Total | 39 | 100 % |
| Total | 75 | 100 % | <i>No Identified Risk</i> | 36 | |

AIDS CASES DIAGNOSED January - December 2007

- 61 persons were newly diagnosed with AIDS in Region 4.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-----------|--------------|-----------------------|-----------|--------------|
| Men | 47 | 77 % | Black, Non-Hispanic | 39 | 64 % |
| Women | 14 | 23 % | White, Non-Hispanic | 20 | 33 % |
| Total | 61 | 100 % | Hispanic | 2 | 3 % |
| | | | Total | 61 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-----------|--------------|--|-----------|--------------|
| 13 - 24 | 3 | 5 % | Men who have sex with men | 23 | 64 % |
| 25 - 34 | 18 | 30 % | Injection drug use | 4 | 11 % |
| 35 - 44 | 22 | 36 % | Men who have sex with men and inject drugs | 1 | 3 % |
| 45+ | 18 | 30 % | Heterosexual contact | 8 | 22 % |
| Total | 61 | 100 % | Total | 36 | 100 % |
| | | | <i>No Identified Risk</i> | 25 | |

Persons Living with HIV/AIDS**Region 5: Lake Charles Region**

- 1127 cumulative cases have been detected in Region 5, including 8 pediatric cases.
- 416 cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including 1 pediatric deaths.
- 871 persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: 398
Persons living with AIDS: 473

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 4 | <1 % |
| 13 - 19 | 13 | 1 % |
| 20 - 24 | 38 | 4 % |
| 25 - 29 | 56 | 6 % |
| 30 - 34 | 101 | 12 % |
| 35 - 39 | 116 | 13 % |
| 40 - 44 | 178 | 20 % |
| 45 - 49 | 176 | 20 % |
| 50 - 54 | 97 | 11 % |
| 55 - 59 | 48 | 6 % |
| 60+ | 44 | 5 % |
| Total | 871 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 377 | 126 | 503 | 58 % |
| White, Non-Hispanic | 224 | 50 | 274 | 31 % |
| Hispanic | 79 | 2 | 81 | 9 % |
| Asian/Pacific Islander | 4 | 0 | 4 | <1 % |
| American Indian | 3 | 1 | 4 | <1 % |
| Unknown | 0 | 1 | 1 | <1 % |
| Multi-race | 3 | 1 | 4 | <1 % |
| Total | 690 | 181 | 871 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 254 | 0 | 254 | 41 % |
| Injection drug use | 101 | 26 | 127 | 21 % |
| Men who have sex with men and inject drugs | 75 | 0 | 75 | 12 % |
| Heterosexual contact | 71 | 74 | 145 | 24 % |
| Transfusion/Hemophilia | 5 | 1 | 6 | 1 % |
| Perinatal | 3 | 5 | 8 | 1 % |
| Total | 509 | 106 | 615 | 100 % |
| <i>No Identified Risk</i> | <i>181</i> | <i>75</i> | <i>256</i> | |

Persons Living with AIDS
Region 5: Lake Charles Region

- 768 cumulative AIDS cases have been diagnosed in Region 5, including 5 pediatric cases.
- 473 persons are currently living with AIDS in Region 5.

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 1 | <1 % |
| 13 - 19 | 6 | 1 % |
| 20 - 24 | 12 | 3 % |
| 25 - 29 | 23 | 5 % |
| 30 - 34 | 39 | 8 % |
| 35 - 39 | 62 | 13 % |
| 40 - 44 | 113 | 24 % |
| 45 - 49 | 103 | 22 % |
| 50 - 54 | 55 | 12 % |
| 55 - 59 | 33 | 7 % |
| 60+ | 26 | 5 % |
| Total | 473 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 210 | 57 | 267 | 56 % |
| White, Non-Hispanic | 140 | 28 | 168 | 36 % |
| Hispanic | 35 | 0 | 35 | 7 % |
| Asian/Pacific Islander | 2 | 0 | 2 | <1 % |
| Multi-race | 1 | 0 | 1 | <1 % |
| Total | 388 | 85 | 473 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 161 | 0 | 161 | 44 % |
| Injection drug use | 61 | 18 | 79 | 22 % |
| Men who have sex with men and inject drugs | 48 | 0 | 48 | 13 % |
| Heterosexual contact | 32 | 38 | 70 | 19 % |
| Transfusion/Hemophilia | 3 | 1 | 4 | 1 % |
| Perinatal | 2 | 2 | 4 | 1 % |
| Total | 307 | 59 | 366 | 100 % |
| <i>No Identified Risk</i> | <i>81</i> | <i>26</i> | <i>107</i> | |

Persons Newly Diagnosed with HIV/AIDS

Region 5: Lake Charles Region

HIV CASES DIAGNOSED January - December 2007

- 56 persons were newly diagnosed with HIV in Region 5.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 41 | 73 % | Black, Non-Hispanic | 36 | 64 % |
| Women | 15 | 27 % | White, Non-Hispanic | 17 | 30 % |
| Total | 56 | 100 % | Hispanic | 2 | 4 % |
| | | | American Indian | 1 | 2 % |
| | | | Total | 56 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|--|-------|---------|
| 13 - 24 | 15 | 27 % | Men who have sex with men | 17 | 59 % |
| 25 - 34 | 17 | 30 % | Injection drug use | 4 | 14 % |
| 35 - 44 | 15 | 27 % | Men who have sex with men and inject drugs | 2 | 7 % |
| 45+ | 9 | 16 % | Heterosexual contact | 6 | 21 % |
| Total | 56 | 100 % | Total | 29 | 100 % |
| | | | <i>No Identified Risk</i> | 27 | |

AIDS CASES DIAGNOSED January - December 2007

- 41 persons were newly diagnosed with AIDS in Region 5.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 29 | 71 % | Black, Non-Hispanic | 28 | 68 % |
| Women | 12 | 29 % | White, Non-Hispanic | 12 | 29 % |
| Total | 41 | 100 % | Hispanic | 1 | 2 % |
| | | | Total | 41 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|--|-------|---------|
| 13 - 24 | 9 | 22 % | Men who have sex with men | 13 | 52 % |
| 25 - 34 | 8 | 20 % | Injection drug use | 3 | 12 % |
| 35 - 44 | 13 | 32 % | Men who have sex with men and inject drugs | 2 | 8 % |
| 45+ | 11 | 27 % | Heterosexual contact | 6 | 24 % |
| Total | 41 | 100 % | Transfusion/Hemophilia | 1 | 4 % |
| | | | Total | 25 | 100 % |
| | | | <i>No Identified Risk</i> | 16 | |

Persons Living with HIV/AIDS**Region 6: Alexandria Region**

- 1149 cumulative cases have been detected in Region 6, including 13 pediatric cases.
- 412 cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 795 persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: 394
Persons living with AIDS: 401

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|------------|--------------|------------------------|------------|------------|------------|--------------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 0 - 12 | 2 | <1 % | Black, Non-Hispanic | 373 | 177 | 550 | 69 % |
| 13 - 19 | 5 | 1 % | White, Non-Hispanic | 152 | 47 | 199 | 25 % |
| 20 - 24 | 22 | 3 % | Hispanic | 35 | 3 | 38 | 5 % |
| 25 - 29 | 80 | 10 % | Asian/Pacific Islander | 2 | 0 | 2 | <1 % |
| 30 - 34 | 99 | 12 % | American Indian | 0 | 1 | 1 | <1 % |
| 35 - 39 | 131 | 16 % | Multi-race | 5 | 0 | 5 | 1 % |
| 40 - 44 | 135 | 17 % | Total | 567 | 228 | 795 | 100 % |
| 45 - 49 | 130 | 16 % | | | | | |
| 50 - 54 | 112 | 14 % | | | | | |
| 55 - 59 | 43 | 5 % | | | | | |
| 60+ | 36 | 5 % | | | | | |
| Total | 795 | 100 % | | | | | |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|------------|------------|--------------|
| Men who have sex with men | 193 | 0 | 193 | 37 % |
| Injection drug use | 73 | 35 | 108 | 20 % |
| Men who have sex with men and inject drugs | 61 | 0 | 61 | 12 % |
| Heterosexual contact | 57 | 94 | 151 | 29 % |
| Transfusion/Hemophilia | 8 | 1 | 9 | 2 % |
| Perinatal | 4 | 2 | 6 | 1 % |
| Total | 396 | 132 | 528 | 100 % |
| <i>No Identified Risk</i> | <i>171</i> | <i>96</i> | <i>267</i> | |

Persons Living with AIDS
Region 6: Alexandria Region

- 707 cumulative AIDS cases have been diagnosed in Region 6, including 4 pediatric cases.
- 401 persons are currently living with AIDS in Region 6.

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|-------|---------|------------------------|-----|-------|-------|---------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 13 - 19 | 1 | <1 % | Black, Non-Hispanic | 183 | 74 | 257 | 64 % |
| 20 - 24 | 3 | 1 % | White, Non-Hispanic | 98 | 29 | 127 | 32 % |
| 25 - 29 | 21 | 5 % | Hispanic | 12 | 1 | 13 | 3 % |
| 30 - 34 | 43 | 11 % | Asian/Pacific Islander | 1 | 0 | 1 | <1 % |
| 35 - 39 | 67 | 17 % | Multi-race | 3 | 0 | 3 | 1 % |
| 40 - 44 | 71 | 18 % | Total | 297 | 104 | 401 | 100 % |
| 45 - 49 | 78 | 19 % | | | | | |
| 50 - 54 | 66 | 16 % | | | | | |
| 55 - 59 | 30 | 7 % | | | | | |
| 60+ | 21 | 5 % | | | | | |
| Total | 401 | 100 % | | | | | |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-----|-------|-------|---------|
| Men who have sex with men | 98 | 0 | 98 | 35 % |
| Injection drug use | 35 | 21 | 56 | 20 % |
| Men who have sex with men and inject drugs | 45 | 0 | 45 | 16 % |
| Heterosexual contact | 28 | 48 | 76 | 27 % |
| Transfusion/Hemophilia | 5 | 0 | 5 | 2 % |
| Perinatal | 1 | 1 | 2 | 1 % |
| Total | 212 | 70 | 282 | 100 % |
| <i>No Identified Risk</i> | 85 | 34 | 119 | |

Persons Newly Diagnosed with HIV/AIDS

Region 6: Alexandria Region

HIV CASES DIAGNOSED January - December 2007

- 44 persons were newly diagnosed with HIV in Region 6.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-----------|--------------|------------------------|-----------|--------------|
| Men | 30 | 68 % | Black, Non-Hispanic | 35 | 80 % |
| Women | 14 | 32 % | White, Non-Hispanic | 5 | 11 % |
| Total | 44 | 100 % | Asian/Pacific Islander | 2 | 5 % |
| | | | Multi-race | 2 | 5 % |
| | | | Total | 44 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-----------|--------------|--|-----------|--------------|
| 13 - 24 | 6 | 14 % | Men who have sex with men | 5 | 45 % |
| 25 - 34 | 12 | 27 % | Men who have sex with men and inject drugs | 1 | 9 % |
| 35 - 44 | 15 | 34 % | Heterosexual contact | 5 | 45 % |
| 45+ | 11 | 25 % | Total | 11 | 100 % |
| Total | 44 | 100 % | <i>No Identified Risk</i> | 33 | |

AIDS CASES DIAGNOSED January - December 2007

- 33 persons were newly diagnosed with AIDS in Region 6.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-----------|--------------|------------------------|-----------|--------------|
| Men | 26 | 79 % | Black, Non-Hispanic | 24 | 73 % |
| Women | 7 | 21 % | White, Non-Hispanic | 6 | 18 % |
| Total | 33 | 100 % | Hispanic | 1 | 3 % |
| | | | Asian/Pacific Islander | 1 | 3 % |
| | | | Multi-race | 1 | 3 % |
| | | | Total | 33 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-----------|--------------|--|-----------|--------------|
| 13 - 24 | 1 | 3 % | Men who have sex with men | 3 | 19 % |
| 25 - 34 | 7 | 21 % | Injection drug use | 2 | 12 % |
| 35 - 44 | 11 | 33 % | Men who have sex with men and inject drugs | 1 | 6 % |
| 45+ | 14 | 42 % | Heterosexual contact | 10 | 62 % |
| Total | 33 | 100 % | Total | 16 | 100 % |
| | | | <i>No Identified Risk</i> | 17 | |

Persons Living with HIV/AIDS**Region 7: Shreveport Region**

- 1814 cumulative cases have been detected in Region 7, including 27 pediatric cases.
- 772 cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including 10 pediatric deaths.
- 1341 persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: 601
Persons living with AIDS: 740

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|-------|---------|------------------------|-----|-------|-------|---------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 0 - 12 | 7 | 1 % | Black, Non-Hispanic | 634 | 287 | 921 | 69 % |
| 13 - 19 | 19 | 1 % | White, Non-Hispanic | 318 | 74 | 392 | 29 % |
| 20 - 24 | 65 | 5 % | Hispanic | 15 | 6 | 21 | 2 % |
| 25 - 29 | 134 | 10 % | Asian/Pacific Islander | 1 | 0 | 1 | <1 % |
| 30 - 34 | 162 | 12 % | American Indian | 3 | 0 | 3 | <1 % |
| 35 - 39 | 195 | 15 % | Unknown | 1 | 0 | 1 | <1 % |
| 40 - 44 | 229 | 17 % | Multi-race | 1 | 1 | 2 | <1 % |
| 45 - 49 | 227 | 17 % | Total | 973 | 368 | 1341 | 100 % |
| 50 - 54 | 155 | 12 % | | | | | |
| 55 - 59 | 78 | 6 % | | | | | |
| 60+ | 70 | 5 % | | | | | |
| Total | 1341 | 100 % | | | | | |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-----|-------|-------|---------|
| Men who have sex with men | 481 | 0 | 481 | 50 % |
| Injection drug use | 76 | 45 | 121 | 13 % |
| Men who have sex with men and inject drugs | 108 | 0 | 108 | 11 % |
| Heterosexual contact | 76 | 146 | 222 | 23 % |
| Transfusion/Hemophilia | 4 | 3 | 7 | 1 % |
| Perinatal | 9 | 7 | 16 | 2 % |
| Total | 754 | 201 | 955 | 100 % |
| <i>No Identified Risk</i> | 219 | 167 | 386 | |

Persons Living with AIDS
Region 7: Shreveport Region

- 1205 cumulative AIDS cases have been diagnosed in Region 7, including 17 pediatric cases.
- 740 persons are currently living with AIDS in Region 7.

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|-------|---------|-----------------------|-----|-------|-------|---------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 0 - 12 | 2 | <1 % | Black, Non-Hispanic | 380 | 138 | 518 | 70 % |
| 13 - 19 | 6 | 1 % | White, Non-Hispanic | 176 | 31 | 207 | 28 % |
| 20 - 24 | 16 | 2 % | Hispanic | 10 | 2 | 12 | 2 % |
| 25 - 29 | 40 | 5 % | American Indian | 2 | 0 | 2 | <1 % |
| 30 - 34 | 73 | 10 % | Multi-race | 0 | 1 | 1 | <1 % |
| 35 - 39 | 115 | 16 % | Total | 568 | 172 | 740 | 100 % |
| 40 - 44 | 137 | 19 % | | | | | |
| 45 - 49 | 146 | 20 % | | | | | |
| 50 - 54 | 110 | 15 % | | | | | |
| 55 - 59 | 52 | 7 % | | | | | |
| 60+ | 43 | 6 % | | | | | |
| Total | 740 | 100 % | | | | | |

| <u>Exposure Category</u> | | | | |
|--|-----|-------|-------|---------|
| Cases with a reported risk: | Men | Women | Total | Percent |
| Men who have sex with men | 268 | 0 | 268 | 49 % |
| Injection drug use | 52 | 23 | 75 | 14 % |
| Men who have sex with men and inject drugs | 67 | 0 | 67 | 12 % |
| Heterosexual contact | 53 | 77 | 130 | 24 % |
| Transfusion/Hemophilia | 2 | 3 | 5 | 1 % |
| Perinatal | 3 | 4 | 7 | 1 % |
| Total | 445 | 107 | 552 | 100 % |
| <i>No Identified Risk</i> | 123 | 65 | 188 | |

Persons Newly Diagnosed with HIV/AIDS

Region 7: Shreveport Region

HIV CASES DIAGNOSED January - December 2007

- 121 persons were newly diagnosed with HIV in Region 7.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 81 | 67 % | Black, Non-Hispanic | 94 | 78 % |
| Women | 40 | 33 % | White, Non-Hispanic | 22 | 18 % |
| Total | 121 | 100 % | Hispanic | 4 | 3 % |
| | | | Unknown | 1 | 1 % |
| | | | Total | 121 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|--|-------|---------|
| 13 - 24 | 32 | 26 % | Men who have sex with men | 36 | 64 % |
| 25 - 34 | 32 | 26 % | Injection drug use | 3 | 5 % |
| 35 - 44 | 35 | 29 % | Men who have sex with men and inject drugs | 2 | 4 % |
| 45+ | 22 | 18 % | Heterosexual contact | 15 | 27 % |
| Total | 121 | 100 % | Total | 56 | 100 % |
| | | | <i>No Identified Risk</i> | 65 | |

AIDS CASES DIAGNOSED January - December 2007

- 78 persons were newly diagnosed with AIDS in Region 7.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 54 | 69 % | Black, Non-Hispanic | 63 | 81 % |
| Women | 24 | 31 % | White, Non-Hispanic | 12 | 15 % |
| Total | 78 | 100 % | Hispanic | 3 | 4 % |
| | | | Total | 78 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|--|-------|---------|
| 13 - 24 | 13 | 17 % | Men who have sex with men | 25 | 61 % |
| 25 - 34 | 22 | 28 % | Injection drug use | 2 | 5 % |
| 35 - 44 | 21 | 27 % | Men who have sex with men and inject drugs | 4 | 10 % |
| 45+ | 22 | 28 % | Heterosexual contact | 9 | 22 % |
| Total | 78 | 100 % | Transfusion/Hemophilia | 1 | 2 % |
| | | | Total | 41 | 100 % |
| | | | <i>No Identified Risk</i> | 37 | |

Persons Living with HIV/AIDS**Region 8: Monroe Region**

- 1364 cumulative cases have been detected in Region 8, including 16 pediatric cases.
- 544 cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 874 persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: 426
Persons living with AIDS: 448

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 6 | 1 % |
| 13 - 19 | 8 | 1 % |
| 20 - 24 | 43 | 5 % |
| 25 - 29 | 93 | 11 % |
| 30 - 34 | 119 | 14 % |
| 35 - 39 | 115 | 13 % |
| 40 - 44 | 140 | 16 % |
| 45 - 49 | 128 | 15 % |
| 50 - 54 | 111 | 13 % |
| 55 - 59 | 63 | 7 % |
| 60+ | 48 | 5 % |
| Total | 874 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 406 | 271 | 677 | 77 % |
| White, Non-Hispanic | 137 | 44 | 181 | 21 % |
| Hispanic | 6 | 2 | 8 | 1 % |
| Asian/Pacific Islander | 2 | 0 | 2 | <1 % |
| Unknown | 1 | 2 | 3 | <1 % |
| Multi-race | 0 | 3 | 3 | <1 % |
| Total | 552 | 322 | 874 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 246 | 0 | 246 | 43 % |
| Injection drug use | 42 | 30 | 72 | 13 % |
| Men who have sex with men and inject drugs | 39 | 0 | 39 | 7 % |
| Heterosexual contact | 57 | 141 | 198 | 34 % |
| Transfusion/Hemophilia | 3 | 4 | 7 | 1 % |
| Perinatal | 5 | 7 | 12 | 2 % |
| Total | 392 | 182 | 574 | 100 % |
| <i>No Identified Risk</i> | <i>160</i> | <i>140</i> | <i>300</i> | |

Persons Living with AIDS**Region 8: Monroe Region**

- 869 cumulative AIDS cases have been diagnosed in Region 8, including 7 pediatric cases.
- 448 persons are currently living with AIDS in Region 8.

Age Category

| Current Age | Cases | Percent |
|--------------------|--------------|----------------|
| 0 - 12 | 1 | <1 % |
| 20 - 24 | 7 | 2 % |
| 25 - 29 | 30 | 7 % |
| 30 - 34 | 59 | 13 % |
| 35 - 39 | 60 | 13 % |
| 40 - 44 | 80 | 18 % |
| 45 - 49 | 72 | 16 % |
| 50 - 54 | 70 | 16 % |
| 55 - 59 | 38 | 8 % |
| 60+ | 31 | 7 % |
| Total | 448 | 100 % |

Race/Ethnicity

| | Men | Women | Total | Percent |
|------------------------|------------|--------------|--------------|----------------|
| Black, Non-Hispanic | 223 | 116 | 339 | 76 % |
| White, Non-Hispanic | 79 | 22 | 101 | 23 % |
| Hispanic | 4 | 2 | 6 | 1 % |
| Asian/Pacific Islander | 1 | 0 | 1 | <1 % |
| Multi-race | 0 | 1 | 1 | <1 % |
| Total | 307 | 141 | 448 | 100 % |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men | 132 | 0 | 132 | 43 % |
| Injection drug use | 25 | 18 | 43 | 14 % |
| Men who have sex with men and inject drugs | 27 | 0 | 27 | 9 % |
| Heterosexual contact | 36 | 66 | 102 | 33 % |
| Transfusion/Hemophilia | 2 | 2 | 4 | 1 % |
| Perinatal | 2 | 0 | 2 | 1 % |
| Total | 224 | 86 | 310 | 100 % |
| <i>No Identified Risk</i> | <i>83</i> | <i>55</i> | <i>138</i> | |

Persons Newly Diagnosed with HIV/AIDS

Region 8: Monroe Region

HIV CASES DIAGNOSED January - December 2007

- 80 persons were newly diagnosed with HIV in Region 8.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 53 | 66 % | Black, Non-Hispanic | 67 | 84 % |
| Women | 27 | 34 % | White, Non-Hispanic | 12 | 15 % |
| Total | 80 | 100 % | Hispanic | 1 | 1 % |
| | | | Total | 80 | 100 % |

| <u>Age at Detection</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|--|-------|---------|
| 13 - 24 | 15 | 19 % | Men who have sex with men | 25 | 54 % |
| 25 - 34 | 22 | 28 % | Injection drug use | 2 | 4 % |
| 35 - 44 | 24 | 30 % | Men who have sex with men and inject drugs | 1 | 2 % |
| 45+ | 19 | 24 % | Heterosexual contact | 18 | 39 % |
| Total | 80 | 100 % | Total | 46 | 100 % |
| | | | <i>No Identified Risk</i> | 34 | |

AIDS CASES DIAGNOSED January - December 2007

- 41 persons were newly diagnosed with AIDS in Region 8.

| <u>Gender</u> | Cases | Percent | <u>Race/Ethnicity</u> | Cases | Percent |
|---------------|-------|---------|-----------------------|-------|---------|
| Men | 26 | 63 % | Black, Non-Hispanic | 34 | 83 % |
| Women | 15 | 37 % | White, Non-Hispanic | 6 | 15 % |
| Total | 41 | 100 % | Hispanic | 1 | 2 % |
| | | | Total | 41 | 100 % |

| <u>Age at Diagnosis</u> | Cases | Percent | <u>Cases with a reported risk:</u> | Cases | Percent |
|-------------------------|-------|---------|------------------------------------|-------|---------|
| 13 - 24 | 5 | 12 % | Men who have sex with men | 11 | 44 % |
| 25 - 34 | 14 | 34 % | Heterosexual contact | 14 | 56 % |
| 35 - 44 | 11 | 27 % | Total | 25 | 100 % |
| 45+ | 11 | 27 % | | | |
| Total | 41 | 100 % | <i>No Identified Risk</i> | 16 | |

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region

- 1178 cumulative cases have been detected in Region 9, including 14 pediatric cases.
- 481 cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 860 persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: 368
 Persons living with AIDS: 492

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|-------|---------|-----------------------|-----|-------|-------|---------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 0 - 12 | 6 | 1 % | Black, Non-Hispanic | 278 | 137 | 415 | 48 % |
| 13 - 19 | 7 | 1 % | White, Non-Hispanic | 338 | 81 | 419 | 49 % |
| 20 - 24 | 29 | 3 % | Hispanic | 18 | 2 | 20 | 2 % |
| 25 - 29 | 50 | 6 % | American Indian | 1 | 0 | 1 | <1 % |
| 30 - 34 | 85 | 10 % | Multi-race | 5 | 0 | 5 | 1 % |
| 35 - 39 | 124 | 14 % | Total | 640 | 220 | 860 | 100 % |
| 40 - 44 | 171 | 20 % | | | | | |
| 45 - 49 | 148 | 17 % | | | | | |
| 50 - 54 | 124 | 14 % | | | | | |
| 55 - 59 | 68 | 8 % | | | | | |
| 60+ | 48 | 6 % | | | | | |
| Total | 860 | 100 % | | | | | |

Exposure Category

| Cases with a reported risk: | Men | Women | Total | Percent |
|--|-----|-------|-------|---------|
| Men who have sex with men | 309 | 0 | 309 | 51 % |
| Injection drug use | 67 | 42 | 109 | 18 % |
| Men who have sex with men and inject drugs | 47 | 0 | 47 | 8 % |
| Heterosexual contact | 42 | 75 | 117 | 19 % |
| Transfusion/Hemophilia | 7 | 1 | 8 | 1 % |
| Perinatal | 10 | 5 | 15 | 2 % |
| Total | 482 | 123 | 605 | 100 % |
| <i>No Identified Risk</i> | 158 | 97 | 255 | |

Persons Living with AIDS
Region 9: Hammond/Slidell Region

- 817 cumulative AIDS cases have been diagnosed in Region 9, including 6 pediatric cases.
- 492 persons are currently living with AIDS in Region 9.

| <u>Age Category</u> | | | <u>Race/Ethnicity</u> | | | | |
|---------------------|-------|---------|-----------------------|-----|-------|-------|---------|
| Current Age | Cases | Percent | | Men | Women | Total | Percent |
| 13 - 19 | 2 | <1 % | Black, Non-Hispanic | 162 | 64 | 226 | 46 % |
| 20 - 24 | 8 | 2 % | White, Non-Hispanic | 213 | 39 | 252 | 51 % |
| 25 - 29 | 15 | 3 % | Hispanic | 9 | 1 | 10 | 2 % |
| 30 - 34 | 38 | 8 % | American Indian | 1 | 0 | 1 | <1 % |
| 35 - 39 | 68 | 14 % | Multi-race | 3 | 0 | 3 | 1 % |
| 40 - 44 | 109 | 22 % | Total | 388 | 104 | 492 | 100 % |
| 45 - 49 | 96 | 20 % | | | | | |
| 50 - 54 | 79 | 16 % | | | | | |
| 55 - 59 | 43 | 9 % | | | | | |
| 60+ | 34 | 7 % | | | | | |
| Total | 492 | 100 % | | | | | |

| <u>Exposure Category</u> | | | | |
|--|-----|-------|-------|---------|
| Cases with a reported risk: | Men | Women | Total | Percent |
| Men who have sex with men | 183 | 0 | 183 | 50 % |
| Injection drug use | 49 | 23 | 72 | 20 % |
| Men who have sex with men and inject drugs | 35 | 0 | 35 | 10 % |
| Heterosexual contact | 21 | 40 | 61 | 17 % |
| Transfusion/Hemophilia | 7 | 1 | 8 | 2 % |
| Perinatal | 3 | 1 | 4 | 1 % |
| Total | 298 | 65 | 363 | 100 % |
| <i>No Identified Risk</i> | 90 | 39 | 129 | |

Persons Newly Diagnosed with HIV/AIDS

Region 9: Hammond/Slidell Region

HIV CASES DIAGNOSED January - December 2007

- 58 persons were newly diagnosed with HIV in Region 9.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men | 43 | 74 % | Black, Non-Hispanic | 38 | 66 % |
| Women | 15 | 26 % | White, Non-Hispanic | 19 | 33 % |
| Total | 58 | 100 % | Multi-race | 1 | 2 % |
| | | | Total | 58 | 100 % |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24 | 13 | 22 % | Men who have sex with men | 25 | 66 % |
| 25 - 34 | 12 | 21 % | Injection drug use | 5 | 13 % |
| 35 - 44 | 18 | 31 % | Heterosexual contact | 8 | 21 % |
| 45+ | 15 | 26 % | Total | 38 | 100 % |
| Total | 58 | 100 % | <i>No Identified Risk</i> | <i>20</i> | |

AIDS CASES DIAGNOSED January - December 2007

- 45 persons were newly diagnosed with AIDS in Region 9.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men | 33 | 73 % | Black, Non-Hispanic | 32 | 71 % |
| Women | 12 | 27 % | White, Non-Hispanic | 12 | 27 % |
| Total | 45 | 100 % | Multi-race | 1 | 2 % |
| | | | Total | 45 | 100 % |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24 | 6 | 13 % | Men who have sex with men | 10 | 48 % |
| 25 - 34 | 9 | 20 % | Injection drug use | 3 | 14 % |
| 35 - 44 | 11 | 24 % | Heterosexual contact | 8 | 38 % |
| 45+ | 19 | 42 % | Total | 21 | 100 % |
| Total | 45 | 100 % | <i>No Identified Risk</i> | <i>24</i> | |